

DYNAMIC CHECKWEIGHER CW-100G Pro

- This product is widely used in Pharmaceutical production lines for highest weighing accuracy and repeatability;
- The checkweigher monitor manufacturing efficiencies and provide real-time data on your process;
- Product completeness and trends also provide feedback data to production line;
- It is also used in the application of checking completeness of secondary package to identify any missing items.

Multiple industrial application



Food



Pharmacy



Accessories

1-500g

Weighing range

±0.1g

Accuracy

300+ Pcs/min

Speed





Stable Performance



Easy Installation



Abundant Function



Weighing Accurate

Core components

- MCGS Touch Screen



- XINJE Servo Motor



- NSK Bering



- Schneider Electronic





- HBM Load Cell



- FESTO Solenoid Valve



- GMC01 Controller



Standard specification

Model	CW-100G Pro
Weighing range	1~500g
Scale division	0.05g
Highest Accuracy(3 σ) *	± 0.1 g
Highest Weighing speed *	300 pcs/min
Belt speed	10~70 m/min
Belt size	200×150 mm
Weighing platform Height **	750±50mm
Belt material	PVC (white)
Structure of the material	SS304 stainless steel
Alarm light	3-color signal light (Red, yellow, green) , Optional buzzer
Display size	15-inch color touch screen
Rejector lineup	Air blow type
Power	Single Phase AC-220V $\pm 10\%$, 50/60HZ
operating temperature	0~45°C
IP grade	Ip65

*Depend on the weight, size, and material of test object. Test accuracy: 0.1g at 120pcs/min | 0.2g at 200pcs/min

Dimensions

Unit:mm

