

# DYNAMIC CHECKWEIGHTER CW-3K

- CW-3K check weigher is suitable for product weight range from 0.3~3kg;
- Weighing accuracy is  $\pm 0.5 \sim 1.5g$ ;
- 10-inch touch screen, can store over 1 million transaction, data export through USB;
- It is widely used for food and beverage, pet food, daily use chemical industry, and so on.

## Multiple applications



**0.3-3 kg**  
Weighing range



**$\pm 0.5g$**   
Accuracy



**150** +Pcs/min  
Speed




## Specification

Model	<b>CW-3K</b>
Power	AC220V $\pm$ 10%, 50/60Hz, 1200W
Weighing Range	0.3~3kg
Accuracy	$\pm$ 0.5~1.5g
Speed	$\leq$ 150pcs/min
Belt Speed	10~90m/min
Belt Size	400mm*300mm
Roller Distance(center)	400mm
Platform Height	750 ( $\pm$ 50mm ) (customizable)
Temperature	0~40°C
Humidity	90% R.H No Condensation
Limit Load	The instantaneous limit load shall not exceed 5 kg

## Dimensions

Unit:mm





[Linkedin](#)



[Facebook](#)



[Wechat](#)



## **General Measure Technology Co.,Ltd.**

Address: Room2208, Block A, Building 6, Shenzhen International Innovation Valley,  
Nanshan District, Shenzhen, Guangdong Province, P.R.China.

Tel/Wechat: +86 185 6585 5789

E-mail: [xjlv@szgmt.com](mailto:xjlv@szgmt.com)

Website: [www.gmweighing.com](http://www.gmweighing.com)